

# PRICE LIST

## HARCO PVC AWWA C907 & C900 GASKETED FITTINGS For C900 PIPE


FREIGHT — F.O.B. Lynchburg, Virginia

**PRESSURE RATED FITTINGS MEET or EXCEED:  
ANSI/AWWA C907**

Fittings outside shaded rows are AWWA C907 Class 150 / Pressure Rated 235 psi / DR18 for pressure and non-pressure applications.


Fittings in shaded rows are for Sewer and Drain applications only and are not pressure rated.

All fittings are molded or assembled from molded components *unless listed in italics. Fittings listed in italics are fabricated from DR 18 pipe.*



**COUPLING  
With Stop (GxG)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	308-040	\$ 25.11	12	40
6	308-060	38.49	6	43
8	308-080	92.05	2	25
+ 10	308-100	231.31	1	27
+ 12	308-120	\$ 259.31	1	41



**REPAIR COUPLING  
No Stop (GxG)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	309-040	\$ 28.86	12	40
6	309-060	44.28	6	40
8	309-080	106.76	2	25
+ 10	309-100	224.68	1	22
+ 12	309-120	\$ 328.14	1	36

+ Machined from extruded stock as manufactured by Certain-Teed Corporation

### **WARNING:**


***Frequent or severe cyclical pressure surges (water hammer) can destroy PVC fittings. Please refer to AWWA C907.***

***The use of anything but properly designed and installed thrust blocks will reduce the life of plastic fittings. Thrust blocks must be of poured concrete only and sized for the soil conditions. Mechanical joint restraint products may also be used.***

NOTE: Please call, fax or e-mail for price and delivery of unlisted fittings.


# HARCO PVC GASKETED C907 & C900 FITTINGS PRICE LIST

PRICE LIST C0611  
EFFECTIVE JUNE 13, 2011  
PAGE 2 OF 4




**TEE  
(GxGxG)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4 x 4	312-0404	64.20	6	40
6 x 4	312-0604	139.71	4	46
6 x 6	312-0606	143.59	4	54
8 x 4	312-0804	242.48	2	38
8 x 6	312-0806	248.37	2	46
8 x 8	312-0808	254.00	2	52
10 x 4	312-1004	395.95	1	37
10 x 6	312-1006	420.40	1	40
10 x 8	312-1008	436.28	1	43
10 x 10	312-1010	654.89	1	68
12 x 4	312-1204	480.19	1	56
12 x 6	312-1206	497.23	1	60
12 x 8	312-1208	520.53	1	65
12 x 10	312-1210	579.96	1	72
12 x 12	312-1212	848.20	1	99




**TAPPED TEE  
AWWA Thread (GxG)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4 x 3/4	352-403	60.84	6	31
4 x 1	352-404	60.84	6	31
4 x 1 1/2	352-406	60.84	6	31
4 x 2	352-408	60.84	6	31
6 x 3/4	352-603	105.78	6	56
6 x 1	352-604	105.78	6	56
6 x 1 1/2	352-606	105.78	6	56
6 x 2	352-608	105.78	6	56
8 x 3/4	352-803	155.91	2	34
8 x 1	352-804	155.91	2	34
8 x 1 1/2	352-806	155.91	2	34
8 x 2	352-808	155.91	2	34




**CAP (G)  
(For this item do not use joint restraint; concrete thrust block only)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	349-040	25.04	12	25
6	349-060	45.12	6	27
8	349-080	76.67	4	34
6	350-060	25.89	18	29
10	349-100	143.48	1	7
12	349-120	173.66	1	34




**PLUG (Spigot)  
(For this item do not use joint restraint; concrete thrust block only)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	344-040	25.04	12	14
6	344-060	45.12	6	20
8	344-080	76.66	4	27
10	344-100	107.01	1	21
12	344-120	131.36	1	32




**TAPPED TEE  
NPT Thread (GxG)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4 x 3/4	351-403	60.84	6	30
4 x 1	351-404	60.84	6	30
4 x 1 1/2	351-406	60.84	6	30
4 x 2	351-408	60.84	6	29
6 x 3/4	351-603	105.78	6	56
6 x 1	351-604	105.78	6	56
6 x 1 1/2	351-606	105.78	6	56
6 x 2	351-608	105.78	6	55
8 x 3/4	351-803	155.91	2	34
8 x 1	351-804	155.91	2	34
8 x 1 1/2	351-806	155.91	2	34
8 x 2	351-808	155.91	2	34



**TAPPED PLUG (NPT Thread)  
(For this item do not use joint restraint; concrete thrust block only)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4 x 3/4	345-403	41.26	6	8
4 x 1	345-404	41.26	6	8
4 x 1 1/2	345-406	41.26	6	8
4 x 2	345-408	41.26	6	8
6 x 3/4	345-603	61.34	6	23
6 x 1	345-604	61.34	6	23
6 x 1 1/2	345-606	61.34	6	23
6 x 2	345-608	61.34	6	23
8 x 3/4	345-803	92.88	4	28
8 x 1	345-804	92.88	4	28
8 x 1 1/2	345-806	92.88	4	28
8 x 2	345-808	92.88	4	28



**REDUCER (GxS)  
(Small End Bell)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
6 x 4	316-0604	76.97	6	25
8 x 6	316-0806	130.85	4	32
8 x 4	316-0804	129.47	1	14
10 x 4	316-1004	171.70	1	22
10 x 6	316-1006	173.39	1	28
10 x 8	316-1008	192.75	1	27
12 x 4	316-1204	203.27	1	35
12 x 6	316-1206	222.28	1	38
12 x 8	316-1208	243.80	1	45
12 x 10	316-1210	266.11	1	43


**REPLACEMENT  
HARCO C900 GASKET**


SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	395-040	2.07	1	0.2
6	395-060	2.85	1	0.2
8	395-080	4.75	1	0.3


Nitrile gaskets available for oil resistance; call HARCO for prices and availability.



# HARCO PVC GASKETED C907 & C900 FITTINGS PRICE LIST


PRICE LIST C0611  
EFFECTIVE JUNE 13, 2011  
PAGE 3 OF 4


 <b>90° BEND (GxG)</b>				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	318-040	46.60	6	29
6	318-060	83.00	4	44
8	318-080	160.44	2	41
10	318-100	366.05	1	52
12	318-120	469.58	1	80


 <b>90° BEND (GxS)</b>				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	369-040	53.00	1	6
6	369-060	85.93	1	12
8	369-080	176.62	1	23
10	369-100	376.41	1	45
12	369-120	462.34	1	70


 <b>45° BEND (GxG)</b>				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	322-040	46.60	6	25
6	322-060	80.84	4	34
8	322-080	153.95	2	33
10	322-100	308.31	1	42
12	322-120	401.03	1	68


  <b>45° BEND (GxS)</b>				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	373-040	52.22	6	24
6	373-060	83.81	4	33
8	373-080	169.91	1	20
10	373-100	301.36	1	35
12	373-120	381.74	1	58


 <b>22½° BEND (GxG)</b>				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	324-040	45.75	6	24
6	324-060	80.84	4	32
8	324-080	153.95	2	30
10	324-100	308.31	1	36
12	324-120	401.03	1	60


 <b>22½° BEND (GxS)</b>				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	375-040	52.22	1	5
6	375-060	83.81	1	9
8	375-080	169.91	1	19
10	375-100	301.36	1	35
12	375-120	381.74	1	58

 <b>11¼° BEND (GxG)</b>				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	326-040	45.75	6	23
6	326-060	80.84	4	30
8	326-080	153.95	2	27
10	326-100	308.31	1	34
12	326-120	401.03	1	55

 <b>11¼° BEND (GxS)</b>				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	377-040	52.22	1	5
6	377-060	83.81	1	9
8	377-080	169.91	1	17
10	377-100	301.36	1	33
12	377-120	381.74	1	53

 <b>CLEAN OUT ADAPTER (HUB)</b> (Hub fits onto C900 Pipe) See HARCO Sewer Price List for Clean Out Plugs				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	359-040	7.02	1	1
6	359-060	22.67	1	2


 <b>REDUCER (GxG)</b>				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
6 x 4	317-0604	115.30	1	9
8 x 6	317-0806	183.76	1	16
8 x 4	317-0804	161.19	1	14
10 x 4	317-1004	198.12	1	22
10 x 6	317-1006	217.32	1	28
10 x 8	317-1008	240.13	1	27
12 x 4	317-1204	260.76	1	35
12 x 6	317-1206	271.55	1	38
12 x 8	317-1208	294.29	1	45
12 x 10	317-1210	320.38	1	43

 <b>RESTRAINT BELL RING</b> (Fits Behind Gasket Shoulder) Use with Full Circle Joint Restraint for MJ Bell				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	394-040	9.52	1	4
6	394-060	14.14	1	5
8	394-080	23.02	1	9

Fittings in shaded rows are not pressure rated.  
Fittings listed in italics are fabricated from DR 18 pipe


# HARCO PVC GASKETED C907 & C900 FITTINGS PRICE LIST

PRICE LIST C0611  
EFFECTIVE JUNE 13, 2011  
PAGE 4 OF 4




**45° WYE**  
(GxGxSDR 35 G Outlet)

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4 x 4	303-0404	70.28	4	36
6 x 4	303-0604	162.34	1	16
6 x 6	303-0606	151.62	2	42
8 x 4	303-0804	231.13	1	32
8 x 6	303-0806	221.31	2	54




**MANHOLE ADAPTER**  
Sand Coating on Exterior (GxG)

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	357-040	59.28	1	3
6	357-060	74.69	1	7
8	357-080	137.19	1	14
10	357-100	243.33	1	24
12	357-120	351.33	1	38



**ADAPTER**  
(C900 x SDR 35 GxG)


SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	337-040	37.14	12	47
6	337-060	54.60	6	48
8	337-080	124.05	2	30
10	337-100	192.23	1	12
12	337-120	230.42	1	18



**C900**  
**GASKET x FLANGE ADAPTER**

These fittings use Sch 40 PVC fittings. Sch 40 PVC fittings do not have a long-term pressure rating. See Section 6.3.2 of ASTM D2466. Use of these fittings in pressure systems is at user's risk.


SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	354-040	111.55	1	5
6	354-060	162.24	1	11
8	354-080	210.95	1	8



**TRANSITION GASKET**  
(C900 x IPS)


SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	396-040	8.03	1	0.3
6	396-060	9.81	1	0.4
8	396-080	11.61	1	0.5

*Fittings in shaded rows are not pressure rated.  
Fittings listed in italics are fabricated from DR 18 pipe.*




**45° WYE**  
(GxGxG)

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4 x 4	301-0404	64.20	4	30
6 x 4	301-0604	161.44	1	22
6 x 6	301-0606	143.59	2	39
8 x 4	301-0804	231.13	1	30
8 x 6	301-0806	213.28	2	52
8 x 8	301-0808	301.69	1	43
10 x 4	301-1004	633.33	1	40
10 x 6	301-1006	693.55	1	53
10 x 8	301-1008	747.98	1	53
10 x 10	301-1010	803.33	1	53
12 x 4	301-1204	814.35	1	61
12 x 6	301-1206	874.78	1	70
12 x 8	301-1208	964.94	1	81
12 x 10	301-1210	1,025.35	1	97
12 x 12	301-1212	1,113.00	1	114




**ADAPTER**  
(SDR 35 x C900 GxS)

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	334-040	37.14	1	4
6	334-060	54.60	1	6
8	334-080	124.05	1	12
10	334-100	147.33	1	21
12	334-120	148.68	1	31




**ADAPTER**  
(C900 x SDR 35 GxS)

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	335-040	44.28	1	4
6	335-060	54.60	6	36
8	335-080	131.73	2	18
10	335-100	169.19	1	11
12	335-120	200.60	1	16



**ADAPTER**  
(IPS x C900 GxG)

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	338-040	33.14	12	40
6	338-060	48.30	6	41
8	338-080	115.05	2	27



**ADAPTER**  
(IPS x C900 GxS)

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	339-040	25.12	12	28
6	339-060	36.73	12	60