

PRICE LIST

HARCO PVC AWWA C907 & C900 GASKETED FITTINGS For C900 PIPE


FREIGHT — F.O.B. Lynchburg, Virginia

**PRESSURE RATED FITTINGS MEET or EXCEED:
ANSI/AWWA C907**

Fittings outside shaded rows are AWWA C907 Class 150 / Pressure Rated 235 psi / DR18 for pressure and non-pressure applications.


Fittings in shaded rows are for Sewer and Drain applications only and are not pressure rated.

All fittings are molded or assembled from molded components *unless listed in italics. Fittings listed in italics are fabricated from DR 18 pipe.*



**COUPLING
With Stop (GxG)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	308-040	\$ 22.83	12	40
6	308-060	34.99	6	43
8	308-080	83.68	2	25
+ 10	308-100	210.28	1	27
+ 12	308-120	\$235.74	1	40



**REPAIR COUPLING
No Stop (GxG)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	309-040	\$ 26.24	12	40
6	309-060	40.25	6	40
8	309-080	97.05	2	25
+ 10	309-100	204.25	1	22
+ 12	309-120	\$298.31	1	36

+ Machined from extruded stock

WARNING:


Frequent or severe cyclical pressure surges (water hammer) can destroy PVC fittings. Please refer to AWWA C907, Section A.3.4 for additional details.

The use of anything but properly designed and installed thrust blocks will reduce the life of plastic fittings. Thrust blocks must be of poured concrete only and sized for the soil conditions. Mechanical joint restraint products are available.

NOTE: Please call, fax or e-mail for price and delivery of unlisted fittings.


HARCO PVC GASKETED C907 & C900 FITTINGS PRICE LIST

PRICE LIST C603-A
EFFECTIVE JUNE 15, 2003
PAGE 2 OF 4




**TEE
(GxGxG)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4 x 4	312-0404	\$ 58.36	6	40
6 x 4	312-0604	127.01	4	46
6 x 6	312-0606	130.54	4	54
8 x 4	312-0804	220.44	2	38
8 x 6	312-0806	225.79	2	46
8 x 8	312-0808	230.91	2	52
10 x 4	312-1004	359.95	1	37
10 x 6	312-1006	382.18	1	40
10 x 8	312-1008	396.62	1	43
10 x 10	312-1010	595.35	1	68
12 x 4	312-1204	436.54	1	56
12 x 6	312-1206	452.03	1	60
12 x 8	312-1208	473.21	1	65
12 x 10	312-1210	527.24	1	72
12 x 12	312-1212	\$771.09	1	99




**TAPPED TEE
AWWA Thread (GxG)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4 x 3/4	352-403	\$ 55.31	6	31
4 x 1	352-404	55.31	6	31
4 x 1 1/2	352-406	55.31	6	31
4 x 2	352-408	55.31	6	31
6 x 3/4	352-603	96.16	6	56
6 x 1	352-604	96.16	6	56
6 x 1 1/2	352-606	96.16	6	56
6 x 2	352-608	96.16	6	56
8 x 3/4	352-803	141.74	2	34
8 x 1	352-804	141.74	2	34
8 x 1 1/2	352-806	141.74	2	34
8 x 2	352-808	\$141.74	2	34




**CAP (G)
(For this item do not use joint restraint; concrete thrust block only)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	349-040	\$ 22.76	12	25
6	349-060	41.02	6	27
8	349-080	69.70	4	34
6	350-060	23.54	18	29
10	349-100	130.44	1	7
12	349-120	\$157.87	1	10




**PLUG (Spigot)
(For this item do not use joint restraint; concrete thrust block only)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	344-040	\$ 22.76	12	14
6	344-060	41.02	6	20
8	344-080	69.69	4	27
10	344-100	97.28	1	21
12	344-120	\$119.42	1	32




**TAPPED TEE
NPT Thread (GxG)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4 x 3/4	351-403	\$ 55.31	6	30
4 x 1	351-404	55.31	6	30
4 x 1 1/2	351-406	55.31	6	30
4 x 2	351-408	55.31	6	29
6 x 3/4	351-603	96.16	6	56
6 x 1	351-604	96.16	6	56
6 x 1 1/2	351-606	96.16	6	56
6 x 2	351-608	96.16	6	55
8 x 3/4	351-803	141.74	2	34
8 x 1	351-804	141.74	2	34
8 x 1 1/2	351-806	141.74	2	34
8 x 2	351-808	\$141.74	2	34




**TAPPED PLUG (NPT Thread)
(For this item do not use joint restraint; concrete thrust block only)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4 x 3/4	345-403	\$37.51	6	8
4 x 1	345-404	37.51	6	8
4 x 1 1/2	345-406	37.51	6	8
4 x 2	345-408	37.51	6	8
6 x 3/4	345-603	55.76	6	23
6 x 1	345-604	55.76	6	23
6 x 1 1/2	345-606	55.76	6	23
6 x 2	345-608	55.76	6	23
8 x 3/4	345-803	84.44	4	28
8 x 1	345-804	84.44	4	28
8 x 1 1/2	345-806	84.44	4	28
8 x 2	345-808	\$84.44	4	28



**REDUCER (GxS)
(Small End Bell)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
6 x 4	316-0604	\$ 69.97	6	25
8 x 6	316-0806	118.95	4	32
8 x 4	316-0804	117.70	1	14
10 x 4	316-1004	156.09	1	22
10 x 6	316-1006	157.63	1	28
10 x 8	316-1008	175.23	1	27
12 x 4	316-1204	184.79	1	35
12 x 6	316-1206	202.07	1	38
12 x 8	316-1208	221.64	1	45
12 x 10	316-1210	\$241.92	1	43




**REPLACEMENT
HARCO C900 GASKET**


SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	395-040	\$1.88	1	0.2
6	395-060	2.59	1	0.3
8	395-080	\$4.32	1	0.3


Nitrile gaskets available for oil resistance; call HARCO for prices and availability.


HARCO PVC GASKETED C907 & C900 FITTINGS PRICE LIST


PRICE LIST C603-A
EFFECTIVE JUNE 15, 2003
PAGE 3 OF 4


 90° BEND (GxG)				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	318-040	\$ 42.36	6	29
6	318-060	75.45	4	44
8	318-080	145.85	2	41
10	318-100	332.77	1	52
12	318-120	\$426.89	1	80


 45° BEND (GxG)				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	322-040	\$ 42.36	6	25
6	322-060	73.49	4	34
8	322-080	139.95	2	33
10	322-100	280.28	1	42
12	322-120	\$364.57	1	68


 22½° BEND (GxG)				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	324-040	\$ 41.59	6	24
6	324-060	73.49	4	32
8	324-080	139.95	2	30
10	324-100	280.28	1	36
12	324-120	\$364.57	1	60


 11¼° BEND (GxG)				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	326-040	\$ 41.59	6	23
6	326-060	73.49	4	30
8	326-080	139.95	2	27
10	326-100	280.28	1	34
12	326-120	\$364.57	1	55


 CLEAN OUT ADAPTER (HUB) (Hub fits onto C900 Pipe) See HARCO Sewer Price List for Clean Out Plugs				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	359-040	\$ 6.38	1	1
6	359-060	20.61	1	2


 RESTRAINT BELL RING (Fits Behind Gasket Shoulder) Use with Full Circle Joint Restraint for MJ Bell				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	394-040	\$57.15	1	8
6	394-060	73.76	1	10
8	394-080	\$86.65	1	12

 90° BEND (GxS)				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	369-040	\$ 48.18	1	6
6	369-060	78.12	1	12
8	369-080	160.56	1	23
10	369-100	342.19	1	45
12	369-120	\$420.31	1	70

 45° BEND (GxS) *Call for Pressure Rated version				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4*	373-040	\$ 47.47	6	25
6*	373-060	76.19	4	36
8	373-080	154.46	1	20
10	373-100	273.96	1	35
12	373-120	\$347.04	1	58

 22½° BEND (GxS)				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	375-040	\$ 47.47	1	5
6	375-060	76.19	1	10
8	375-080	154.46	1	19
10	375-100	273.96	1	35
12	375-120	\$347.04	1	58


 11¼° BEND (GxS)				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	377-040	\$ 47.47	1	5
6	377-060	76.19	1	9
8	377-080	154.46	1	33
10	377-100	273.96	1	33
12	377-120	\$347.04	1	53

 REDUCER (GxG)				
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
6 x 4	317-0604	\$104.82	1	9
8 x 6	317-0806	167.05	1	16
8 x 4	317-0804	146.54	1	14
10 x 4	317-1004	180.11	1	22
10 x 6	317-1006	197.56	1	28
10 x 8	317-1008	218.30	1	27
12 x 4	317-1204	237.05	1	35
12 x 6	317-1206	246.86	1	38
12 x 8	317-1208	267.54	1	45
12 x 10	317-1210	\$291.25	1	43

Fittings in shaded rows are not pressure rated.
Fittings listed in italics are fabricated from DR 18 pipe


HARCO PVC GASKETED C907 & C900 FITTINGS PRICE LIST

PRICE LIST C603-A
EFFECTIVE JUNE 15, 2003
PAGE 4 OF 4




45° WYE
(GxGxSDR 35 G Outlet)

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4 x 4	303-0404	\$ 63.89	1	9
6 x 4	303-0604	147.58	1	16
6 x 6	303-0606	137.84	2	42
8 x 4	303-0804	210.12	1	29
8 x 6	303-0806	\$201.19	2	54




MANHOLE ADAPTER
Sand Coating on Exterior (GxG)

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	357-040	\$ 53.89	1	5
6	357-060	67.90	1	9
8	357-080	124.72	1	16
10	357-100	221.21	1	24
12	357-120	\$319.39	1	28



ADAPTER
(C900 x SDR 35 GxG)


SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	337-040	\$ 33.76	12	48
6	337-060	49.64	6	48
8	337-080	112.77	2	30
10	337-100	174.75	1	12
12	337-120	\$209.47	1	18



C900
GASKET x FLANGE ADAPTER

These fittings use Sch 40 PVC fittings. Sch 40 PVC fittings do not have a long-term pressure rating. See Section 6.3.2 of ASTM D2466. Use of these fittings in pressure systems is at user's risk.


SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	354-040	\$101.41	1	5
6	354-060	147.49	1	11
8	354-080	\$191.77	1	8



TRANSITION GASKET
(C900 x IPS)


SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	396-040	\$ 7.30	1	0.3
6	396-060	8.92	1	0.5
8	396-080	\$10.55	1	0.7

Fittings in shaded rows are not pressure rated.
Fittings listed in *italics* are fabricated from DR 18 pipe.




45° WYE
(GxGxG)

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4 x 4	301-0404	\$ 58.36	4	30
6 x 4	301-0604	146.76	1	15
6 x 6	301-0606	130.54	2	39
8 x 4	301-0804	210.12	2	60
8 x 6	301-0806	193.89	2	52
8 x 8	301-0808	274.26	1	39
10 x 4	301-1004	575.75	1	40
10 x 6	301-1006	630.50	1	48
10 x 8	301-1008	679.98	1	53
10 x 10	301-1010	730.30	1	53
12 x 4	301-1204	740.32	1	61
12 x 6	301-1206	795.25	1	70
12 x 8	301-1208	877.22	1	81
12 x 10	301-1210	932.14	1	97
12 x 12	301-1212	\$1,011.82	1	114




ADAPTER
(SDR 35 x C900 GxS)

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	334-040	\$ 33.76	1	4
6	334-060	49.64	1	6
8	334-080	112.77	1	12
10	334-100	133.94	1	21
12	334-120	\$135.16	1	31




ADAPTER
(C900 x SDR 35 GxS)

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	335-040	\$ 40.25	1	4
6	335-060	49.64	1	2
8	335-080	119.75	1	15
10	335-100	153.81	1	11
12	335-120	\$182.36	1	16



ADAPTER
(IPS x C900 GxG)

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	338-040	\$ 30.13	12	40
6	338-060	43.91	6	41
8	338-080	\$104.59	2	25



ADAPTER
(IPS x C900 GxS)

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.
4	339-040	\$22.84	12	28
6	339-060	33.39	12	60