


PRICE LIST


HARCO PVC GASKETED FITTINGS For PVC PRESSURE PIPE (Iron Pipe Size, IPS)

FREIGHT — F.O.B. Lynchburg, Virginia

ALL FITTINGS MEET OR EXCEED:

MATERIALS	ASTM D-1784, NSF APPROVED FOR POTABLE WATER, NSF 61
JOINTS	ASTM D-3139
GASKETS	ASTM F-477
WALL THICKNESS	SDR-21
PRESSURE RATING	200 PSI <i>(except where noted otherwise)</i>


 REPAIR COUPLING No Stop (GxG) KNOCK-ON STYLE					
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½	109-015	\$ 10.21	24	12	H
2	109-020	11.20	24	19	H
2½	109-025	12.32	24	27	H
3	109-030	15.41	24	38	H
4	109-040	27.73	12	40	H
5	109-050	45.27	6	26	H
6	109-060	48.73	6	40	H
8	109-080	100.37	4	53	H
10	109-100	185.88	1	14	C
12	109-120	\$274.49	1	22	C


 LINE COUPLING With Stop (GxG)					
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½	108-015	\$ 9.25	24	12	H
2	108-020	9.44	24	18	H
2½	108-025	10.21	24	33	H
3	108-030	12.90	24	38	H
4	108-040	23.49	12	33	H
6	108-060	35.82	12	69	H
8	108-080	78.00	6	62	H
10	108-100	103.29	1	13	C
12	108-120	\$134.86	1	19	C


STYLE LEGEND:


H = One piece molded, HARCO style mold.
 C = Manufactured by Certain-Teed Corporation.


HARCO PVC PRESSURE FITTINGS PRICE LIST


		TEE (GxGxG)			
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½ x 1½	112-150	\$ 23.32	12	12	F
2 x 1½	112-215	27.55	12	15	H
2 x 2	112-220	27.55	12	18	H
2½ x 1½	112-251	30.63	1	1.4	A
2½ x 2	112-252	30.63	12	21	H
2½ x 2½	112-255	30.63	12	22	H
3 x 1½	112-315	32.36	12	30	A
3 x 2	112-320	32.36	12	32	H
3 x 2½	112-325	32.36	12	38	H
3 x 3	112-330	32.36	12	34	H
4 x 2	112-420	49.89	12	56	H
4 x 2½	112-425	49.89	12	57	H
4 x 3	112-430	49.89	12	59	H
4 x 4	112-440	49.89	12	67	H
5 x 5	112-550	111.73	2	22	F
6 x 2	112-620	111.73	4	29	A
6 x 3	112-630	111.73	4	33	H
6 x 4	112-640	111.73	4	43	H
6 x 6	112-660	111.73	4	48	H
8 x 4	112-840	188.57	2	37	H
8 x 6	112-860	193.00	2	39	H
8 x 8	112-880	\$197.43	2	43	H

		90° BEND (GxG)			
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½	118-015	\$ 20.41	12	7	H
2	118-020	14.65	12	10	H
2½	118-025	16.75	12	15	H
3	118-030	21.19	12	22	H
4	118-040	36.21	12	46	H
5	118-050	66.46	12	46	H
6	118-060	66.46	4	36	H
8	118-080	\$129.63	4	64	H

		45° BEND (GxG)			
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½	122-015	\$ 20.41	1	0.9	Fab
2	122-020	14.65	12	10	H
2½	122-025	16.75	12	14	H
3	122-030	21.19	12	20	H
4	122-040	36.21	12	41	H
6	122-060	66.46	4	33	H
8	122-080	\$129.63	4	53	H

		REDUCER - SEB (SxG)			
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
2 x 1½	116-215	\$13.09	12	8	H
2½ x 2	116-252	15.04	12	10	H
3 x 2	116-320	17.93	12	12	H
3 x 2½	116-325	18.88	12	16	H
4 x 2	116-420	20.81	12	18	H
4 x 2½	116-425	21.79	12	22	H
4 x 3	116-430	21.79	12	23	H
5 x 4	116-540	44.29	1	3	A
6 x 3	116-630	39.30	4	14	F
6 x 4	116-640	59.92	12	33	H
6 x 5	116-650	71.84	1	5	H
8 x 6	116-860	\$101.72	4	22	H


		22½° BEND (GxG)			
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
2	124-020	\$ 51.22	1	2	Fab
3	124-030	70.91	1	3	Fab
4	124-040	95.06	1	5	Fab
6	124-060	\$124.53	1	11	Fab

		11¼° BEND (GxG)			
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
2	126-020	\$ 40.22	1	2	Fab
3	126-030	59.32	1	3	Fab
4	126-040	72.87	1	5	Fab
6	126-060	\$115.97	1	11	Fab

STYLE LEGEND:


- H = One piece molded, HARCO style mold.
- F = One piece molded, Flo-Seal style mold.
- A = Assembled using one piece molded fitting with MIPT x Gasket Adapter or Spigot Adapter for branch or bell.
- Fab = Fabricated using Sch 40 PVC fitting with HARCO Spigot Adapters (or pipe) solvent-welded together. (See pressure rating warning on Page 3.)

HARCO PVC PRESSURE FITTINGS PRICE LIST




**GASKET x SPIGOT
ADAPTER
(GxS)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½	130-015	\$ 10.59	12	4	H
2	130-020	10.79	12	6	H
2½	130-025	12.32	12	9	H
3	130-030	15.22	12	13	H
4	130-040	27.18	1	2	H
5	130-050	39.68	1	3	H
6	130-060	\$39.68	1	4	H




**GASKET x FEMALE
NPT ADAPTER
(GxFNPT)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½	132-015	\$11.20	1	0.5	Fab
2	132-020	12.32	1	0.7	Fab
2½	132-025	15.79	1	1.2	Fab
3	132-030	23.11	1	1.5	Fab
4	132-040	30.44	1	3	Fab
5	132-050	57.79	1	5	Fab
6	132-060	\$83.59	1	6	Fab



**GASKET x MALE
NPT ADAPTER
(GxMNPT)**


SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½	131-015	\$13.30	12	6	H
2	131-020	14.46	12	6	H
2½	131-025	17.13	12	14	H
3	131-030	22.15	12	18	H
4	131-040	35.64	1	3	Fab
5	131-050	69.56	6	17	Fab
6	131-060	\$69.56	1	7	Fab



**PE (Plain End) x MALE
NPT ADAPTER
(PExMNPT)**


SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½	133-015	\$ 7.31	1	0.3	Fab
2	133-020	9.82	12	3	H
2½	133-025	10.21	1	0.9	Fab
3	133-030	12.90	1	1.1	Fab
4	133-040	19.07	1	1.9	Fab
6	133-060	\$40.26	1	5	Fab

Size on size and reducing sizes of these adapters are also available in HARCO Ductile Iron.



**CAP
(Gasket)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½	149-015	\$10.79	1	0.5	Fab
2	149-020	11.93	12	6	H
2½	149-025	18.51	1	1	Fab
3	149-030	19.84	1	1.4	Fab
4	149-040	40.84	1	3	Fab
5	149-050	72.82	1	4	Fab
6	149-060	\$93.05	1	7	Fab




**PLUG
(Spigot)**

SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½	144-015	\$ 8.88	1	0.2	Fab
2	144-020	8.88	12	2	H
2½	144-025	9.05	12	5	H
3	144-030	11.58	12	5	H
4	144-040	24.67	12	10	H
6	144-060	35.05	12	28	H
8	144-080	\$59.51	4	15	H

WARNING: Frequent or severe cyclical pressure surges (WATER HAMMER) can destroy PVC fittings. Where such conditions may exist, HARCO DEEP BELL DUCTILE IRON FITTINGS for IPS size PVC pipe should be considered. HARCO DEEP BELL DUCTILE IRON FITTINGS are available in sizes 1½" through 12".

Fab Style: These fittings use Sch 40 PVC fittings. Sch 40 PVC fittings do not have a long term pressure rating. See section 6.3.2 of ASTM D2466. Use of these fittings in pressure systems is at user's risk.


The use of anything but properly designed and installed thrust blocks will reduce the life of plastic fittings. Thrust blocks must be of poured concrete only and sized for the soil conditions. Joint restraint products are available.




**NON-PRESSURE WYE
(GxGxG)**


SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
3 x 3	101-0303	\$43.06	1	5	Fab
4 x 4	101-0404	86.10	1	10	Fab

HARCO PVC PRESSURE FITTINGS PRICE LIST


 SERVICE TEE (GxGxFemale NPT) Tapered NPT Thread					
SIZE	PART NUMBER*	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½ x ¾	151-153	\$20.66	1	0.8	HB
1½ x 1	151-154	20.66	1	0.9	HB
1½ x 1¼	151-155	20.66	1	0.8	H
2 x ½	151-202	16.11	12	16	HB
2 x ¾	151-203	16.11	12	18	H
2 x 1	151-204	16.11	12	18	H
2 x 1¼	151-205	16.11	12	21	H
2 x 1½	151-206	16.11	12	20	H
2½ x ½	151-252	21.54	12	21	HB
2½ x ¾	151-253	21.54	12	20	HB
2½ x 1	151-254	21.54	12	27	H
2½ x 1¼	151-255	21.54	12	26	H
2½ x 1½	151-256	21.54	12	28	H
2½ x 2	151-258	21.54	12	25	H
3 x ½	151-302	28.90	12	36	HB
3 x ¾	151-303	28.90	12	33	HB
3 x 1	151-304	28.90	12	32	H
3 x 1¼	151-305	28.90	12	31	H
3 x 1½	151-306	28.90	12	31	H
3 x 2	151-308	32.40	12	30	H
4 x ½	151-402	37.47	8	32	HB
4 x ¾	151-403	37.47	8	32	HB
4 x 1	151-404	37.47	8	31	H
4 x 1¼	151-405	37.47	8	31	H
4 x 1½	151-406	37.47	8	31	H
4 x 2	151-408	37.47	8	30	H
6 x ½	151-602	48.16	12	45	HB
6 x ¾	151-603	48.16	6	37	HB
6 x 1	151-604	48.16	6	37	HB
6 x 1¼	151-605	48.16	6	43	H
6 x 1½	151-606	48.16	6	43	H
6 x 2	151-608	\$48.16	6	42	H


*Last number denotes tap size in ¼" increments.
8", 10" and 12" Service Tees available in HARCO Ductile Iron.

 CROSS (GxGxGxG)					
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½	153-015	\$ 41.22	1	1.7	Fab
2	153-020	50.10	1	2	Fab
2½	153-025	73.96	1	4	Fab
3	153-030	81.87	1	5	Fab
4	153-040	\$184.92	1	9	Fab

 ACME SERVICE TEE (GxGxACME) 315 psi Pressure Rated					
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
2 x 1	153-204	\$16.11	16	17	H
2 x 1¼	153-205	16.11	16	17	H
2 x 1½	153-206	16.11	16	17	H
2½ x 1	153-254	21.54	16	29	H
2½ x 1¼	153-255	21.54	16	29	H
2½ x 1½	153-256	21.54	16	24	H
3 x 1	153-304	28.90	16	42	H
3 x 1¼	153-305	28.90	16	42	H
3 x 1½	153-306	\$28.90	16	42	H

Outlet fits all brands of single O-Ring ACME inlet swing joints.
2", 2½", 3" and 4" ACME service tees and ACME x NPT adapters are available in HARCO Ductile Iron.

 GASKET x FLANGE ADAPTER (GxF)					
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½	154-015	\$ 20.23	1	0.8	Fab
2	154-020	19.27	1	1.2	Fab
2½	154-025	40.84	1	1.7	Fab
3	154-030	39.30	1	2	Fab
4	154-040	84.17	1	6	Fab
6	154-060	133.69	1	12	Fab
8	154-080	\$189.17	1	20	Fab

 REPLACEMENT HARCO PRESSURE GASKET					
SIZE	PART NUMBER	LIST PRICE	CTN. QTY.	CTN. WT.	STYLE
1½	195-015	\$2.32	1	0.1	H
2	195-020	2.52	1	0.1	H
2½	195-025	3.28	1	0.1	H
3	195-030	4.61	1	0.1	H
4	195-040	6.54	1	0.2	H
6	195-060	8.67	1	0.3	H
8	195-080	\$10.59	1	0.3	H

Nitrile gaskets available for oil resistance; call HARCO for prices and availability.

STYLE LEGEND:

H = One piece molded, HARCO style mold.
HB = HARCO style one piece molded, with outlet reduced by use of flush style thread x thread bushing.
FB = Flo-Seal style one piece molded, with outlet reduced by use of flush style thread x thread bushing.
Fab = Fabricated using Sch 40 PVC fitting with HARCO Spigot Adapters (or pipe) solvent-welded together. (See pressure rating warning on Page 3.)